








الالكترونيك بالاي

رقم	نموذج	مواصفات فنية	تصوير	قيمة مصرف كنده (ريال)
IR 4in1 Camera				
1	SV-TVH8602-BZ	1/2.5" SONY CMOS Sensor 8MP(3840*2160)@15fps/5MP@20fps/4MP@30fps high resolution TVI/AHD/CVI/CVBS 2.8-12mm motorized lens/ 0.01LUX/50m IR 12VDC/ICR/COC,3DNR,BLC,AWB,D&N,Sharpness, Smart IR, Metal IP67		92,125,000
2	SV-TVS2201-BF/W	1/2.8" SONY CMOS Sensor 2MP(1920*1080) TVI/AHD/CVI/CVBS 3.6mm Fixed lens/ 0.001LUX/30m IR 12VDC/ICR/COC/True WDR120DB, Starlight 3DNR,AGC,BLC,AWB,HLC,D&N,LSC,Sharpness, Smart IR, Motion Detection, Privacy Mask Metal IP67		25,850,000
3	SV-TVS2301-DF/W	1/2.8" SONY CMOS Sensor 2MP(1920*1080) TVI/AHD/CVI/CVBS 2.8mm Fixed lens/ 0.001LUX/30m IR 12VDC/ICR/COC/True WDR120DB, Starlight 3DNR,AGC,BLC,AWB,HLC,D&N,LSC,Sharpness, Smart IR, Motion Detection, Privacy Mask Metal IP67		25,850,000
4	SV-TVM2631-BV	1/2.9" SONY CMOS Sensor 2MP(1920*1080) TVI/AHD/CVI/CVBS 2.8-12 mm VF lens /0.01LUX/40m IR 12VDC/ICR/D-WDR,Brightness, Sharpness, Shutter, AGC,BLC,D&N,Defog,3DNR,AWB,UTC Metal IP66		31,625,000
CV - Warm Light Full Color Camera				
5	NEW SV-TVM5220-BF/CVA	1/2.5" CMOS Sensor 5MP(2560*1936)@20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON) 30 m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness Smart LED /IP67 (Metal)		29,097,500
6	SV-TVM5202-BF/CVA	1/2.5" CMOS Sensor 5MP(2560*1936)@20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON) / 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness, Smart LED, IP67(Metal&Plastic)		27,120,000
7	SV-TVM5302-DF/CVA	1/2.5" CMOS Sensor 5MP(2560*1936)@20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness, Smart LED, Metal IP67		29,097,500
8	SV-TVM5320-DF/CVA	1/2.5" CMOS Sensor 5MP(2560*1936)@20fps/4MP@30fps TVI & AHD & CVI - 24/7 full color imaging 3.6mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR,AGC,BLC,AWB,Sharpness, Smart LED IP67(Metal&Plastic)		27,120,000

9	NEW SV-TVM2220-BF/CVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 30m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR, AGC, BLC, HLC, AWB, Sharpness, Smart LED IP67(Metal)	 	22,882,500
10	SV-TVM2202-BF/CVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR, AGC, BLC, HLC, AWB, Sharpness, Smart LED IP67(Metal & Plastic)	 	20,905,000
11	SV-TVM2320-DF/CVA	1/2.8" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 2.8mm Fixed lens/ 0 lux (LED ON)/ 20m LED Distance 12VDC/COC/DWDR,1CH built-in MIC 2DNR, AGC, BLC, HLC, AWB, Sharpness, Smart LED, IP67(Metal & Plastic)	 	20,905,000
12	NEW SV-CVM5504-BFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	19,085,000
13	NEW SV-CVM5505-BFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	19,250,000
14	NEW SV-CVM5506-BFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	19,085,000
15	NEW SV-CVM5507-BFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20-30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	18,700,000
16	NEW SV-CVM5806-BFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	24,475,000
17	NEW SV-CVM5324-DFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, Metal IP66	 	18,865,000
18	NEW SV-CVM5326-DFA	1/2.9" CMOS Sensor/5MP Lite (2592*1944)@20fps TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR, BLC, AWB, Smart LED, IP66(Metal & Plastic)	 	17,985,000

19	NEW SV-CVM2504-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	18,425,000
20	NEW SV-CVM2507-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	18,370,000
21	NEW SV-CVM2405-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	18,260,000
22	NEW SV-CVM2806-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	23,925,000
23	SV-CVM2404-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	17,875,000
24	SV-CVM2437-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	18,260,000
25	SV-CVM2436-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)	  	17,435,000
26	SV-CVM2432-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66	  	18,535,000
27	SV-CVM2216-BFPA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic	  	14,795,000
28	NEW SV-CVM2217-BFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic	  	16,060,000

29	NEW SV-CVM2324-DFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		18,425,000
30	SV-CVM2321-DFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Metal IP66		17,820,000
31	NEW SV-CVM2325-DFA	1/2.9" CMOS Sensor/2MP (1920*1080) TVI & AHD & CVI & CVBS - 24/7 full color imaging 3.6mm Fixed lens /0.1LUX/40m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		17,600,000
32	SV-CVM2322-DFA	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, IP66 (Metal&Plastic)		16,555,000
33	SV-CVM2323-DFA	1/2.9" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.1LUX/20~30m white light view distance DC12V/COC/DWDR,1CH built-in MIC 2DNR,BLC,AWB,Smart LED, Plastic		14,575,000
34	NEW SV-CVM2507-BF/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20~30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,135,000
35	SV-CVM2437-BF/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20~30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,355,000
36	SV-CVM2436-BF/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20~30m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, IP66 (Metal&Plastic)		13,640,000
37	NEW SV-CVM2324-DF/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/40m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, Metal IP66		14,300,000
38	SV-CVM2322-DF/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20m white light view distance 12VDC/DWDR,1CH built-in MIC BLC,2DNR,AWB,UTC, IP66 (Metal&Plastic)		12,705,000

39	SV-CVM2323-DFP/FA	1/3" CMOS Sensor/2MP(1920*1080) TVI & AHD & CVI & CVBS- 24/7 full color imaging 3.6mm Fixed lens / 0.01LUX/20~30m white light view distance 12VDC/DWDR, 1CH built-in MIC BLC, 2DNR, AWB, UTC, Plastic	  	10,945,000
2MP Lite-XVR				
40	SV-2XS4101/1H5	4CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite & 720P(25fps) / 2CH(Up to 6CH) IP Up to 2MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 10/30 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	37,855,000
41	SV-2XS8101/1H5	8CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080P Lite/720P: 12fps(other channels support) & 720P Lite: 25fps / 2CH(Up to 10CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA/USB2.0*2/P2P/DDNS/ Network RJ45 100Mbps × 1 - Max 16/60 Mbps incoming/Outgoing bandwidth Support coaxial audio Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	46,330,000
42	SV-2XN1601/1H5-V2	16CH TVI&AHD&CVI 2MP Live(25fps) & Record 1080P Lite/720P: 25fps(PAL)(only CH 1 supports) 1080P Lite/720P: 12fps(other channels support) & 720P Lite: 25fps / 2CH (Up to 18CH) IP Up to 5MP(25fps) H.265/1 Audio input - 1 Output/ HDD SATA×1, up to 8TB/HDMI-VGA-CVBS/ USB2.0*2/P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/80 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 	79,665,000
5MP Lite-XVR				
43	SV-5XN4011/1H5-AI	4CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps, 4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 2CH(Up to 6CH) IP Up to 5MP(25fps) H.265+ /1 Audio input- 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 4CH SMD, 1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	54,522,500

44	SV-5XN8011/1H5-AI	8CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps(PAL)/ 4CH (Up to 12CH) IP Up to 5MP(25fps) H.265+/1 Audio input - 1 Output /HDD SATA × 1, up to 10TB/ HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/60 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 8CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	89,270,000
----	-------------------	---	--	------------

45	SV-5XN1601/1H5-AI	16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/ 1080P@12fps, 1080P Lite/720P@25fps / 8CH (Up to 16CH) IP Up to 5MP(25fps) H.265+/1 Audio input - 1 Output/ HDD SATA× 1, up to 10TB/HDMI-VGA-CVBS/ USB 2.0*2 /RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network RJ45 100Mbps × 1 - Max 32/80 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 16CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	177,975,000
----	-------------------	---	--	-------------

46	SV-5XN1608/2H5-AI	16CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps(PAL) 1080P Lite/720P@25fps (PAL)/ 8CH (Up to 16CH) IP Up to 5MP/ 25fps (PAL) H.265+/HDMI-VGA-CVBS/ Audio IN RCA× 8 - OUT RCA× 1 / Alarm IN 16 CH - OUT 4 CH / SATA × 2, E-SATA × 1, up to 10TB Per HDD/ RS485 × 1, connect to PTZ or keyboard / USB 2.0 ×1; USB3.0×1 / Power DC12V/ 4A Network RJ45 10* 100* 1000Mbps × 1/Bandwidth 32Mbps(Max.64Mbps) Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 16CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	223,175,000
----	-------------------	--	---	-------------

47	SV-5XN3216/4H5-AI	32CH TVI&AHD&CVI: 5MP Lite@20fps, 4MP Lite / 1080P / 720P real time preview & Record 5MP Lite@10fps,4MP Lite/1080P@12fps, 1080P Lite/720P@25fps / 8CH(Up to 24CH) IP Up to 5MP/ 25fps H.265+/16 Audio input - 1 Output/ Alarm IN 16CH - OUT 4CH / SATA × 4, E-SATA × 1, up to 10TB Per HDD / HDMI/VGA-CVBS/ USB 2.0 ×1; USB3.0×1 /RS485 × 2, connect to PTZ or keyboard / P2P/DDNS /Network RJ45 10* 100*1000Mbps × 1 40(Max. 88)/160 Mbps in coming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 16CH SMD,1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	508,500,000
----	-------------------	---	--	-------------

4k -XVR

48	SV-4KXN4001/1H5-AI	4CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 2CH (Up to 6CH) IP Up to 8MP(20fps), lower than 8MP @25fps H.265+/ 1 Audio input- 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network R.J45 100Mbps × 1 - Max 16/40 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 4CH SMD, 1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	93,225,000
----	--------------------	---	--	------------

49	SV-4KXN8001/1H5-AI	8CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH (Up to 16CH) IP Up to 8MP(25fps) H.265+/ 1 Audio input- 1 Output /HDD SATA × 1, up to 10TB/ 4K HDMI-VGA-CVBS/USB 2.0 × 2/ RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network R.J45 100Mbps × 1 - Max 32/80 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 8CH SMD, 1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	163,850,000
50	SV-4KXN1601/2H5-AI	16CH TVI&AHD&CVI : 4K@15fps, 5MP@20fps, 4MP/3MP/1080P/720P real time preview & Record 4K@8fps, 4K Lite@12fps, 5MP@12fps, 5MP Lite@20fps, 4MP/3MP@12fps, 4MP Lite/1080P/720P@25fps/ 8CH (Up to 16CH) IP Up to 8MP(25fps) H.265+/ 1 Audio input- 1 Output /HDD SATA × 2, up to 10TB/ 4K HDMI-VGA-CVBS/USB 3.0 × 1; USB2.0 × 1 /RS485 × 1, connect to PTZ or keyboard / P2P/DDNS/Network R.J45 100Mbps × 1 - Max 32/96 Mbps incoming/Outgoing bandwidth Support coaxial audio-Support USB 3G/4G Dongle Smart Functions(IPC) AI Functions(Analog : 16CH SMD, 1CH Perimeter) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	  	296,625,000

دزدگیر

51	 SV-CP520	مرکز کنترل دزدگیر 4 زون با سیم + 1 زون بی سیم (با قابلیت گسترش) کنترل دستگاه از طریق تماس، پیامک و نرم افزار IOS و ANDROID 20 حافظه تلفن (GSM, SMS) 2 عدد خروجی قابل کنترل با پیام کوتاه و صوتی زون 24 ساعته و حالت نیمه فعال و دینگ دینگ و تاخیری 1 خروجی AUX جهت تغذیه تجهیزات مسترس آسان به تنظیمات دستگاه از طریق پل بزدگیر مسترس به منو از طریق پسورد دارای سیستم هشدار سیگنال مزاحم		79,975,000
52	SV-SD440PR	چشمی دزدگیر حرکتی باسیم Nicera500 BP Sensor type و لنت 9 الی 15 لنت 14 متر برد آشکار سازی 140 درجه زاویه آشکار سازی passive infrared دارای قابلیت تنظیم میزان حساسیت قابلیت تنظیم LED بصورت ON/OFF مجهز به ورودی Tamper دارای انتخاب NC - NO خروجی آلارم رله		7,065,000

53	SV-W209P2	چشمی دزدگیر وزنی باسیم Nicera200 BP Sensor type ولتاژ تغذیه 12 الی 24 ولتجریان مصرفی 15 میلی آمپر محدوده ی ارتفاع نصب 5.1 تا 4.2 متر خروجی آلارم 220 ولت / 3 آمپر قابل نصب بر روی دیوار و سقف 100 درجه زاویه آشکار سازی 10 متر برد آشکار سازی		8,195,000
54	اسپیکر دزدگیری	ولتاژ کاری 9 الی 12 ولت دارای پایه برای تنظیم جهت صدای خروجی 25 وات 8 اهم		421,000

کلیه محصولات لیست با گارانتی شرکت سیما ران می باشند



وبسایت: Scanviewcctv.com

تلفن: 09143073257

تلگرام: [scanviewcctv](https://t.me/scanviewcctv)