

الالكترونيك بالاي

رد	مڈل	مشخصات فني	تصوير	قيمت مصرف كننده (ريال)
IP Camera - IR				
1	SV-IPM8602-BF/W 	1/2.8" SONY CMOS Sensor 8MP(20FPS)/3.6 mm fixed Lens/3Streams/H.265+/H.264+ True WDR 120dB /50m IR/0.1 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, defog, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB /ONVIF/IP67 Metal SMART Functions		122,887,500
2	SV-IPHM4301-DF/W	1/3" CMOS Sensor 4MP(25FPS)/2.8 mm fixed Lens/3Streams/H.265+/H.264+/ True WDR 120DB /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions		49,437,500
3	SV-IPHM2201-BF/W-S	1/2.8" CMOS Sensor 2MP(25FPS)/3.6 mm fixed Lens/3Streams/H.265+/H.264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input/SD Card Max 256GB/ ONVIF/IP67 Metal SMART Functions		46,047,500
4	SV-IPHM2301-DF/W-S	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 mm fixed Lens/3Streams/H.265+/H.264+/ True WDR 120dB /Starlight /30m IR/0.005 Lux/ICR auto switch, true day / night ROI coding, AWB, 3D DNR, HLC, BLC, Smart IR POE/12VDC/1CH audio input and 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions		46,047,500
5	SV-IPM4908/PZ40X/SFD	1/2.8" progressive scan CMOS Sensor, BSI and NIR++, dual gain, 4MP(25FPS)/ 4.5 ~ 180 mm Motorized Lens/40x Optical Zoom/350m Smart IR/H.265+, H.264+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/1 Ch input ,1 Ch output Alarm/SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC24V 2.5A ,PoE+ SMART Functions/ Auto Tracking/ Supports face detection/ target counting		661,050,000
6	SV-IPM4704/PZ4X/WSFR	1/2.7" progressive scan CMOS with BSI and NIR+ technology Sensor 4MP(25FPS)/ 2.8-12mm Motorized Lens/4x Optical Zoom/50m IR/H.265+, H.264+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/built-in Mics & Speaker (8m for voice recording, 30m for audible warnings)/1 Ch input ,1 Ch output Alarm/SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC12V 2A, PoE+ SMART Functions/ Auto Tracking/ Supports face detection and comparison/ Active Deterrence (30m White LED)		210,180,000

7	SV-IPM4704/PZ4X/WS	1/2.7" progressive scan CMOS with BSI and NIR+ technology Sensor 4MP(25FPS)/ 2.8-12mm Motorized Lens/ 4x Optical Zoom/50m IR/H.265+/H.264+/ True WDR 120dB/Starlight 1 Ch input, 1 Ch output Audio/built-in Mics & Speaker (8m for voice recording, 30m for audible warnings)/1 Ch input ,1 Ch output Alarm/SD Card Max 256GB/IP66, IK10 Metal/Outdoor/ DC12V 2A, PoE+ SMART Functions/ Auto Tracking/ Active Deterrence (30m White LED)	    	180,800,000
---	--------------------	--	---	-------------

8	SV-IPM2706/PZ15X/S	1/2.8" progressive scan CMOS, BSI, NIR++/ 2MP(25FPS) 5 ~ 75 mm Motorized Lens/ 15x Optical Zoom/200m SMART IR/H.265+/H.264+/DW DR /Starlight SD Card Max 256GB/IP66, IK10 Metal /DC12V 3A, ,PoE SMART Functions/ Auto Tracking	  	257,075,000
---	--------------------	--	--	-------------



IP Camera - Color View

9	SV-IPCV22602-BF/W	1/2.8" CMOS Sensor 2MP(25FPS)/ 3.6mm & 2.8 mm fixed Lens/3Streams/ H265+/ H264+/ True WDR 120dB/30~ 40m white light view distance/0.002 lux ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/ 1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	60,737,500
10	SV-IPCV22302-DF/W	1/2.8" CMOS Sensor 2MP(25FPS)/ 2.8 mm fixed Lens/3Streams/ H265+/ H264+/ True WDR 120dB/20~ 30m white light view distance/0.002 lux ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/ 1CH audio input; 1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67 Metal SMART Functions	  	53,675,000

IP Camera - Dual Light

11	NEW SV-IPNDM8302-DF/W	1/2.8" SONY CMOS Sensor 8MP(20FPS)/2.8mm fixed Lens/3Streams/ H265+/H264+/ True WDR 120dB/0.02 lux/ ICR , Auto day/night switch 30m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, Defog, ANR, Cloud upgrade, Dual-system backup POE/12VDC/ 1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	   	128,255,000
12	NEW SV-IPNDM6603-BZ/WS	1/2.5" CMOS Sensor 6MP(20FPS)/2.8 -12mm Motorized Lens/3Streams/ H265+/H264+/ True WDR 120dB/Starlight/0.008 lux/ ICR , Auto day/night switch 40m White light view distance; 50m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, ANR, Cloud upgrade POE/12VDC/ 1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	    	136,730,000
13	SV-IPNDM6202-BF/WS	1/2.5" CMOS Sensor 6MP(20FPS)/3.6mm fixed Lens/3Streams/ H265+/H264+/ True WDR 120dB/Starlight/0.008 Lux/ ICR , Auto day/night switch 30m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, ANR, Cloud upgrade POE/12VDC/ 1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	    	84,750,000

14	SV-IPNDM6302-DF/WS	1/2.5" CMOS Sensor 6MP(20FPS)/2.8mm fixed Lens/3Streams/H265+/H264+/ True W DR 120dB/Starlight/0.008 Lux/ ICR , Auto day/night switch 30m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, ANR, Cloud upgrade POE/12VDC/1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	  	84,750,000
15	SV-IPNDL4202-BF	1/3" CMOS Sensor 4MP(25FPS)/3.6mm fixed Lens/2Streams/H265+/H264+/ DW DR /0.09 Lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	  	43,505,000

16	SV-IPNDL4302-DF	1/3" CMOS Sensor 4MP(25FPS)/2.8mm fixed Lens/2Streams/H265+/H264+/ DW DR /0.09 Lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	  	43,505,000
17	SV-IPNDM2603-BVWS	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 -12mm Varifocal Lens/3Streams/H265+/H264+/ True W DR 120dB/Starlight/0.006 Lux/ ICR , Auto day/night switch 40m White light view distance; 50m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, ANR, cloud upgrade POE/12VDC/1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	  	70,625,000
18	SV-IPNDM2503-DVWS	1/2.8" CMOS Sensor 2MP(25FPS)/2.8 -12mm Varifocal Lens/3Streams/H265+/H264+/ True W DR 120dB/Starlight/0.006 Lux/ ICR , Auto day/night switch 40m White light view distance; 50m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, ANR, cloud upgrade POE/12VDC/1CH audio input/1CH built-in MIC/SD Card Max 256GB/ONVIF/IP67(Metal) SMART Functions-Support SMD (human / Motor Vehicle)	  	70,625,000
19	 SV-IPNDL2220-BF	1/3" CMOS Sensor 2MP(25FPS)/3.6mm fixed Lens/2Streams/H265+/H264+/ DW DR/0.02 lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal) SMART Functions-Support SMD (available for human)	  	39,267,500
20	SV-IPNDL2202-BF	1/3" CMOS Sensor 2MP(25FPS)/3.6mm fixed Lens/2Streams/H265+/H264+/ DW DR/0.02 Lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	  	36,160,000
21	 SV-IPNDL2320-DF	1/3" CMOS Sensor 2MP(25FPS)/2.8mm fixed Lens/2Streams/H265+/H264+/ DW DR /0.02 lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal) SMART Functions-Support SMD (available for human)	  	39,267,500
22	SV-IPNDL2302-DF	1/3" CMOS Sensor 2MP(25FPS)/2.8mm fixed Lens/2Streams/H265+/H264+/ DW DR /0.02 Lux/ ICR , Auto day/night switch 20m White light view distance; 30m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC POE/12VDC/1CH built-in MIC/ONVIF/IP67(Metal&Plastic) SMART Functions-Support SMD (available for human)	  	36,160,000

23	SV-IPSDL2202-BF	1/3" CMOS Sensor 2MP(25FPS)/3.6mm fixed Lens/2Streams/ H265+/H264+ / DW DR/0.0462 Lux/ ICR , Auto day/night switch Dual light Camera (line Crossing-Intrusion) 20m White light view distance; 20m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, Defog POE/1CH built-in MIC/ONVIF/IP67 (Metal&Plastic) SMART Functions	 Dual Light  	26,272,500
24	SV-IPSDL2302-DF	1/3" CMOS Sensor 2MP(25FPS)/2.8mm fixed Lens/2Streams/ H265+/H264+ / DW DR/0.0462 Lux/ ICR , Auto day/night switch Dual light Camera (line Crossing-Intrusion) 20m White light view distance; 20m IR view distance ROI coding, AW B, 3D DNR, HLC, BLC, Defog POE/1CH built-in MIC/ONVIF/IP67 (Metal&Plastic) SMART Functions	 Dual Light  	26,272,500
		NVR		

25	SV-6NS4000/1H5S	4CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 40Mbps/Output 40Mbps) 4CH IPC Audio/Alarm input/ SATA3.0 × 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection/Video Metadata/Perimeter Protection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	40,962,500
26	SV-6NS4000/1H5S-4PE	4CH input & Record 6MP@25fps - 4*100M RJ45 PoE ports H.265S ,H.265+ - Bandwidth(Input 40Mbps/Output 40Mbps) 4CH IPC Audio input/ SATA3.0 × 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection/Video Metadata/Perimeter Protection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	63,280,000
27	SV-6NS8000/1H5S	8CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 64Mbps/Output 64Mbps) 8CH IPC Audio/Alarm input/ SATA3.0 × 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection/Video Metadata/Perimeter Protection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	47,460,000
28	SV-6NS1600/1H5S	16CH input & Record 6MP@25fps /H.265S ,H.265+ / Bandwidth(Input 64Mbps/Output 64Mbps) 16CH IPC Audio/Alarm input/ SATA3.0 × 1, max 10T / HDMI-VGA/USB2.0*2/ P2P/ ONVIF/DHCP/DDNS/ RJ45 100Mbps × 1 SMART Function/Supports face detection/Video Metadata/Perimeter Protection قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	53,675,000
29	 SV-8N2801/1H5S-4K	8CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input80Mbps/Output 80Mbps) 8CH IPC Audio/Alarm input/ SATA3.0 × 1, max 10T / HDMI 4K-VGA/ 2 RCA AUDIO IN & OUT/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS RJ45 10-100-1000M SMART Function/ Supports face detection/Video Metadata/ Perimeter Protection/ Support fisheye (W eb Client and mobile APP) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	84,185,000
30	SV-8N21601/1H5S-4K	16CH input & Record 8MP(25FPS)/H.265S ,H.265+ / Bandwidth (Input160Mbps/Output 160Mbps) 16CH IPC Audio/Alarm input/ SATA3.0 × 1, max 10T / HDMI 4K-VGA/ 2 RCA AUDIO IN & OUT/ USB2.0*2 /P2P/ONVIF/DHCP/DDNS/ RJ45 10-100-1000M SMART Function/Supports face detection/Video Metadata/Perimeter Protection/Support fisheye (W eb Client and mobile APP) قابلیت پشتیبانی از تقویم شمسی و منوی فارسی	 VCA 	88,705,000

